

NEWPORT PAGNELL RURAL DISTRICT COUNCIL

ANNUAL REPORT

of the

MEDICAL OFFICER OF HEALTH

for the year

1954.



CHAIRMAN OF THE COUNCIL: General H. BLOUNT. D.S.O., J.P.

PUBLIC HEALTH COMMITTEE

CHAIRMAN: Councillor R. G. BELLCHAMBERS.

COUNCILLORS: W. BEESLEY, J. B. BELL, Genl. H. BLOUNT. D.S.O., J.P.,  
Col. N. B. C. BYAM GROUNDS, A. CROUCH, H. F. DOLLING,  
R. EAKINS, M. FARRER, W. F. FINNKELCEY, J. S. GOSS,  
J. H. GREEN. J.P., E. GURNEY, N. J. GURNEY,  
Mrs. V. M. HATTON, Revd. P. HEMMING. M.A., C. HUTTON,  
W. E. JARVIS, J. B. KING, Mrs. M. KONIG. O.B.E.,  
Alderman S. W. LORD. J.P., A. LYON, H. J. A. OSBORN,  
J. R. POWELL, R. O. SHARPE. J.P., H. J. SIMPSON,  
H. W. TARRANT, Miss. S. K. A. UTHWATT, G. F. WESLEY,  
G. WILLIAMS, Sir Philip WOMBWELL, Bt. M.B.E.,  
Col. J. P. WYNESS.

PUBLIC HEALTH STAFF

MEDICAL OFFICER OF HEALTH

D. H. WALDRON, O.B.E., M.D., D.P.H., D.T.M., & H., COL. I.M.S. (Retd.)

(The Medical Officer of Health is also M.O.H. for Buckingham M.B., the Urban District of Bletchley, Linslade and Newport Pagnell, the Rural District of Buckingham and Wing, Area M.O. for North Bucks and Buckingham and Winslow Division.)

CHIEF SANITARY INSPECTOR AND SURVEYOR

F. LOCKWOOD, C.R.S.I.J.B., M.Inst.B.E., M.R.San.I., M.S.I.A.

ADDITIONAL SANITARY INSPECTOR AND ASSISTANT SURVEYOR

W.R.H. GILLING, C.R.S.I.J.B., A.R.S.I., M.S.I.A.

COUNCIL OFFICES,

7. Station Road,

NEWPORT PAGNELL.

1st. June, 1955.

TO THE CHAIRMAN AND COUNCILLORS OF THE  
RURAL DISTRICT OF NEWPORT PAGNELL.

-----

Ladies and Gentlemen,

I have the honour to present the Annual Report for the year 1954.

The Birth Rate shows a most satisfactory rise over the previous year. In 1953 it was very slightly below that for the rest of the country, but in 1954 it rose to more than four points higher than that for England and Wales.

On the other hand the Death Rate showed an increase over the previous year, the actual figures being 7.53 per 1000 in 1953 as against 10.3 per 1000 for 1954. Even so it is still below the rate for the rest of the country. Of the total deaths of 1954 no less than 101 were due to Heart and Allied Diseases and 37 to Cancer.

The Infantile Mortality Rate is up on last year. There were four deaths in this group of which one was under the age of four weeks. The rate was actually 17.1 as against 25.5 for the rest of the country.

I took over the appointment of Medical Officer of Health from Dr. C. H. F. Bailey in July 1954. It is sad to note that Dr. Bailey has since passed away and was able to enjoy for a very short time only his well earned retirement after thirty-five years with the Council.

I should like to thank your Officers and their Staffs for their most helpfull co-operation since I took up my appointment.

I am,

Your obedient servant,

D. H. WALDRON.

Medical Officer of Health.

## SECTION A.

### GENERAL STATISTICS.

	<u>1953.</u>	<u>1954.</u>
Area (in acres) ... ..	61,686.	61,686.
Population.. . . .	13,817.	14,120.
Number of inhabited houses...	4,707.	4,948.
Rateable Value. ... ..	£65,949.	£67,452.
Sum Represented by a 1d. Rate. (Estimated)	£243/12/5d.	£265/0/0d

-----

### VITAL STATISTICS.

#### BIRTHS.

Legitimate (Males) ... ..	80.	118.
"    (Females).. . . .	103.	106.
Illegitimate (Males).. . . .	3.	4.
"    (Females).. . . .	3.	6.
Stillbirths. ... ..	Nil.	2.
Birth Rate per 1000 population . . . . .	15.06.	19.4.
"    "    "    "    "    (Bucks) ...	14.9.	15.6.
"    "    "    "    "(England & Wales).	15.5.	15.2.

#### DEATHS.

Males.. . . .	67.	101.
Females ... ..	76.	94.
Death Rate per 1000 population.. . . .	7.53.	10.3.
"    "    "    "    "    (Bucks) ...	9.7.	9.5.
"    "    "    "    "(England & Wales)	11.4.	11.3.
Maternal Mortality ... ..	Nil.	Nil.
"    "    (Bucks). . . . .	.33.	.47.
Infantile Mortality... ..	15.8.	17.1.
"    "    (Bucks) ... ..	20.0.	22.4.
"    "    (England & Wales) ...	26.8.	25.5.

-----

SECTION A. (Cont.)

PRINCIPAL CAUSES OF DEATH.

	M.	F.	T.
Tuberculosis, respiratory ... ..	1.	0.	1.
Tuberculosis, other ... ..	0.	0.	0.
Meningococcal Infections. ... ..	0.	0.	0.
Acute Poliomyelitis. ... ..	0.	0.	0.
Cancer ... ..	15.	22.	37.
Leukemia... ..	1.	0.	1.
Diabetes... ..	1.	0.	1.
Cerebral Haemorrhage ... ..	12.	14.	26.
Heart Disease... ..	42.	30.	72.
Other Circulatory Diseases ... ..	1.	2.	3.
Influenza.. ... ..	1.	0.	1.
Pneumonia.. ... ..	5.	5.	10.
Bronchitis. ... ..	3.	1.	4.
Digestive Diseases.. ... ..	1.	0.	1.
Nephritis.. ... ..	1.	0.	1.
Hyperplasia of Prostate.. ... ..	3.	0.	3.
Pregnancy, Childbirth, Abortion ... ..	0.	0.	0.
Congenital Malformations. ... ..	1.	1.	2.
Accidents.. ... ..	3.	5.	8.
Suicide.... ... ..	3.	1.	4.
All other causes ... ..	7.	13.	20.
	<hr/>		
Totals...	101.	94.	195.
	<hr/>		



## SECTION B.

### GENERAL PROVISION OF HEALTH SERVICES.

#### (1) LABORATORY SERVICES.

Specimens for bacteriological investigation were sent to the Public Health Laboratories at Northampton and Bedford. Specimens for qualitative and quantitative analysis were sent to London.

#### (2) AMBULANCE SERVICES.

This service, which is controlled by the County Health Department maintains two motor ambulances and one sitting case car in Newport Pagnell, supplemented if necessary by ambulances from other areas in North Bucks.

#### (3) HOME NURSING AND MIDWIFERY.

The District Nurses in the Newport Pagnell Rural Area carried out their duties in their usual conscientious manner.

#### (4) CLINICS.

##### (a) Child Welfare Centres:-

There are five static Welfare Centres serving the district. They are located as follows:-

Castlethorpe. (once monthly)	Olney. (twice monthly)
Hanslope. (once monthly)	Woburn Sands. (twice monthly)
Newport Pagnell. (twice monthly)	

In addition the following villages were visited monthly by the Mobile Welfare Unit:-

Stoke Goldington.	Willen.	Simpson.	Sherington.
Ravenstone.	Woolstone.	Milton Keynes.	Lavendon.
Filgrave.	Woughton.	Little Brickhill.	Newton -
Astwood.	North Crawley.	Loughton.	Blossomville.

The District Nurse and Health Visitor attended each session and a Medical Officer attended once a month. In addition to the normal work of a Child Welfare Centre, immunization against Diphtheria and Whooping Cough was also carried out. These Centres have done excellent work during the year and total attendances of children was 4,554. I should like to draw attention to the valuable work done by the Ladies Voluntary Committees at these centres.

##### (b) Chest Clinics:-

Administered jointly by the County Health Department and the Regional Hospital Board, Chest Clinics serving this area are held at Wolverton and Bletchley. A specialist in Chest Diseases attends once a month and these Clinics are doing excellent work particularly in the fight against Tuberculosis.

##### (c) Orthopaedic Clinic.

This Clinic administered by the Regional Hospital Board is held twice monthly at Wolverton Road, Newport Pagnell.

SECTION B. (Cont.)

(5) HOME HELPS SERVICE.

This Service, introduced under the National Health Service Act, 1946, is helping a lot of people annually. During 1954 a total of 120 cases were assisted.

(6) HOSPITALS.

The following hospitals have received cases from the area during the year:-

Northampton General.  
Harborough Road.  
Creaton Sanatorium  
Renny Lodge. N.P.

Bedford General.  
Royal Bucks.  
Tindal House, Aylesbury.  
Westbury. Newport Pagnell.

SANITARY CIRCUMSTANCES OF THE AREA

(A) WATER.

SOURCES OF SUPPLY. - ONLY.

The yield from this supply has been adequate for the needs of the northern area of the district due to the fact that the rainfall for the 1954-1955 period was above normal and consistent, no periods of drought were recorded.

The installation of a submersible pump in May last year at Wood Lane, Hanslope, source has greatly assisted in the maintaining of supplies and pressures to the fringe areas on the northern area.

Chlorination of supplies has been carried out and regular quarterly bacteriological examinations of the treated water have been submitted for analysis by the Public Health Department, all of which have proved very satisfactory.

GREAT LINFORD SOURCE.

The supply has been adequately maintained throughout the year. Regular quarterly Bacteriological Examination of the chlorinated water have been taken and have proved satisfactory in all cases.

The change over of consumers' services from the old main to the new 3" main is being proceeded with, as labour becomes available a number have been dealt with including the Council's recently completed Housing Estate. The proposal to lay a main from Woolstone for the improvement of quality of water to be supplied to the village is in the hands of the Council's Consulting Engineers, plans and Sections are being prepared.

HAVERSHAM SOURCE.

A constant supply has been maintained throughout the year, with the exception of a few occasions when temporary breakdown of the supplies occurred due to electrical faults at the Pumping Station. Supplies have been regularly chlorinated and all samples on examination have proved very satisfactory in all cases.

TYRINGHAM - PRIVATE SUPPLY.

Arising from another matter in which the Public Health Department were called upon to assist, samples of the water supply were taken and submitted for Bacteriological Examination. These proved unsatisfactory and the owners of the Tyringham Estates were advised to install a plant for chlorination.

This was done and regular samples have since been sent for examination all of which have been very satisfactory.

BIRCHMOOR SOURCE.

Supplies to the Southern Area from this source have been adequately maintained throughout the year with the exception of times when inconvenience to consumers was caused through broken mains on the distribution system. The greatest number of these occur when the ground in which they are laid becomes water-bogged, usually in the months of October to February. The quality of this water has remained satisfactory throughout the year. Arrangements have been made and work is to be carried out on the installation of a lime dosing plant at the Birchmoor Source Works to raise the P.H. value of the water which is at present inclined to be acid and has a tendency to react on pipes and fittings, causing internal corrosion and plumbo solvency.



SECTION C (Cont.)

REGIONAL SCHEME.

The Council have commenced this scheme and progress is satisfactory. The completion of the scheme is expected by about the autumn. The whole of the area will then be augmented by 12", 10", 8", and 7" trunk mains, inter connections being made at various focal points. The smaller sources of supply will become redundant when the scheme is put into operation.

TOTAL CONSUMPTION FOR THE WHOLE DISTRICT FOR ALL PURPOSES FOR THE YEAR 1954-1955 FROM ALL SOURCES.

128,933,000 gallons

NUMBER OF SUPPLIES CONNECTED TO THE COUNCIL MAINS DURING THE YEAR 1954-1955 NOT INCLUDING WOBURN SANDS.

Domestic Direct	Domestic Stand Tap	Metered Agricultural and Trade.	Field Troughs.
--------------------	-----------------------	---------------------------------------	----------------

93	2	27	4
----	---	----	---

CHEMICAL ANALYSIS

Source of Supply: Booster Well, Warrington (Olney Public Supply)  
Treated.

Date: 23. 3. 54.      Time. 11.0.a.m.

CHEMICAL RESULTS IN PARTS PER MILLION

Appearance bright with a very slight deposit consisting of minute particles of calcium carbonate.

Colour ...	...	...	Nil.	Odour ...	...	...	Nil.
------------	-----	-----	------	-----------	-----	-----	------

Parts per 100,000.

pH ...	...	...	...	...	...	...	8.3
Electric Conductivity ...	...	...	...	...	...	...	495
Chlorine present as Chloride ...	...	...	...	...	...	...	33
Residual Chlorine...	...	...	...	...	...	...	Absent
Nitrate Nitrogen ...	...	...	...	...	...	...	7.6
Nitrite Nitrogen ...	...	...	...	...	...	less than	0.01
Ammoniacal Nitrogen.	...	...	...	...	...	...	0.018
Albuminoid Nitrogen.	...	...	...	...	...	...	0.028
Alkalinity as Calcium Carbonate.	...	...	...	...	...	...	50
Carbonate ...	...	...	...	...	...	...	50
Non-carbonate.	...	...	...	...	...	...	115
Oxygen absorbed ...	...	...	...	...	...	...	0.30
Turbidity ...	...	...	...	...	...	less than	3
Hardness (Total) ...	...	...	...	...	...	...	165
Total Solids..	...	...	...	...	...	...	330
Metals..	...	...	...	...	...	...	Absent
Free Carbon Dioxide.	...	...	...	...	...	...	Absent

This sample is reasonably clear and bright in appearance, very faintly alkaline in reaction and free from iron and other metals. The water is moderately hard in character and it contains no excess of salinity or mineral constituents in solution. It is of very satisfactory organic and bacterial purity.

These results are indicative of a pure and wholesome water suitable for public purposes.



SECTION C (Cont.)

CHEMICAL ANALYSIS

Source of Supply: Ministry Well - Gravel Bed (untreated)  
Public Supply, Weston Underwood.  
(Source of Abstract Air)

Date: 23. 3. 54. Time: 10.0.a.m.

CHEMICAL RESULTS IN PARTS PER MILLION

Appearance: Bright with very few mineral particles.

Colour ... Nil. Odour ... Nil.

								Parts per 100,000.
pH	...	...	...	...	...	...	...	7.3
Electric Conductivity..	...	...	...	...	...	...	...	810
Chlorine present as Chloride.	...	...	...	...	...	...	...	32
Residual Chlorine	...	...	...	...	...	...	...	Absent
Nitrate Nitrogen.	...	...	...	...	...	...	...	6.0
Nitrite Nitrogen.	...	...	...	...	...	less than	...	0.01
Albuminoid Nitrogen	...	...	...	...	...	...	...	0.046
Ammoniacal Nitrogen	...	...	...	...	...	...	...	0.005
Alkalinity as Calcium Carbonate	...	...	...	...	...	...	...	270
Carbonate..	...	...	...	...	...	...	...	270
Non-carbonate	...	...	...	...	...	...	...	160
Oxygen absorbed..	...	...	...	...	...	...	...	0.45
Turbidity..	...	...	...	...	...	less than	...	3
Hardness (Total).	...	...	...	...	...	...	...	430
Total Solids	...	...	...	...	...	...	...	540
Metals	...	...	...	...	...	...	...	Absent
Free Carbon Dioxide	...	...	...	...	...	...	...	19

This sample is practically clear and bright in appearance, neutral in reaction and free from iron and other metals. The water is very hard in character though not excessively so and it contains no excess of salinity or mineral constituents in solution. It is of satisfactory organic quality but it carries an appreciable number of bacteria, and Bact. coli are present in minimal number. The water is considered wholesome in character and suitable for drinking and domestic source concerned is in the nature of a public supply.

SECTION C (Cont.)

CHEMICAL ANALYSIS

Source of Supply: Birchmoor Water Supply. Bow Brickhill Reservoir  
Admixture of water from Nos. 1, 3, & 4 boreholes,  
before aeration.

Date: 27. 12. 54. Time: 11.0.a.m.

CHEMICAL RESULTS IN PARTS PER MILLION

Appearance: Bright with a slight deposit of mineral debris.

Colour ... Nil. Odour ... Nil.

Parts per 100,000.

pH..	...	...	...	...	...	...	6.2
Electric Conductivity.	...	...	...	...	...	...	155
Chlorine present as Chloride	...	...	...	...	...	...	23
Residual Chlorine	...	...	...	...	...	...	Absent
Nitrate Nitrogen	...	...	...	...	...	...	4.2
Nitrite Nitrogen	...	...	...	...	less than	...	0.01
Ammoniacal Nitrogen...	...	...	...	...	...	...	0.000
Albuminoid Nitrogen...	...	...	...	...	...	...	0.000
Alkalinity as Calcium Carbonate...	...	...	...	...	...	...	15
Carbonate	...	...	...	...	...	...	15
Non-carbonate...	...	...	...	...	...	...	35
Oxygen absorbed.	...	...	...	...	...	...	0.15
Turbidity	...	...	...	...	Less than	...	3
Hardness (Total)	...	...	...	...	...	...	50
Total Solids	...	...	...	...	...	...	105
Metals ... Other metals absent..	...	...	...	...	Iron: less than	...	0.03
Free Carbon Dioxide...	...	...	...	...	...	...	18

This sample is reasonably clear and bright in appearance and free from metals apart from a negligible trace of iron. The water is decidedly on the acid side of neutrality and soft in character. A corrosive tendency towards metals would therefore be expected. The content of free carbon dioxide appears to be less than representative for the unacrated supply. The water contains no excess of salinity or mineral constituents in solution and it is of the highest standard of organic quality.

Apart from the objection to corrosive characteristics and from the aspect of the chemical analysis, these results are indicative of a pure and wholesome water suitable for public supply purposes.

(B) DRAINAGE AND SEWERAGE.

EXISTING SEWAGE WORKS.

OLNEY WORKS.

The pumps and motors have worked very satisfactorily. An improved effluent has been obtained by increasing the delivery to the filters and reducing the rate of pumping. The effluent is now satisfactory in the opinion of the Rivers Pollution Officer.

SHERINGTON WORKS.

These works have worked very satisfactorily and a good effluent has been maintained throughout the year.

HAVERSHAM WORKS. FIELDS ESTATE.

These works have given satisfactory service, but the effluent drain direct to the river has not yet been constructed.

HAVERSHAM WORKS. MANOR ESTATE.

The trouble with the sprinkler and siphon dosage chamber has been overcome and the works are working satisfactorily. Trouble is however caused by the children in the locality, and a chain link fence should be erected round these works.

MILTON KEYNES. WORKS.

These works are working satisfactorily and a reasonable effluent is being maintained.

LITTLE BRICKHILL WORKS.

These works are working satisfactorily.

WESTON UNDERWOOD WORKS.

These works are working well. The majority of properties have been converted to W.C.'s. It has been necessary during the year to fence in a portion of the effluent ditch due to its depth and subsequent danger to cattle, since which no complaints have been received.

SEWERS AND SEWER DITCHES

A number of blockages occurred in sewers in the area during the year, but they were promptly dealt with, mainly by the direct labour force without undue inconvenience to the public. Cleansing of sewer ditches in the area was carried out. Various small Disposal Works to Council Houses were regularly visited and maintained by the direct labour squad. Flooding has occurred from time to time at the temporary works at Emberton West Pits site, which I trust will soon be remedied by the construction of the Sewerage Disposal Works.

NEW SEWERAGE AND SEWAGE DISPOSAL SCHEMES

BIRCHMOOR JOINT COMMITTEE SCHEME.

This scheme is now nearing completion.

EMBERTON.

This scheme is ready for going to tender as soon as Ministry probate.



SECTION C (Cont.)

BOW BRICKHILL.

This scheme is progressing satisfactorily. Works nearing completion, and lateral connections being laid.

LEANSLOPE.

This scheme is being prepared but no enquiry has yet been held. Negotiations for site proceeding.

LAVENDON.

Site negotiations in respect of this scheme are still proceeding. The section adjacent to Churchyard to be laid in advance on account of Highway improvements.

BRADWELL.

This scheme has now been approved and works are to be carried out in 1955.

CASTLETHORPE.

Scheme prepared, approved in principle but site not yet acquired.

LOUGHTON AND SHENLEY CHURCH END.

A modified scheme in course of preparation.

WAVENDON.

Full details of scheme approved and Consulting Engineers have preparation of scheme well in hand.

NORTHERN DEPOT

Night Soil Collection and Cesspool Cleansing, Etc.,

Total hours worked ... ..	8,501 $\frac{1}{4}$
Absence due to sickness, holidays etc...	464
Mileage covered ... ..	10,531
Petrol consumed ... ..	1,866
Average miles per gallon ... ..	5.643

Details of Work Carried Out.

Number of pails cleansed ... ..	48,301
Number of privies cleansed.. ...	37
Number of cesspools cleansed ... ..	230
Number of visits to trade premises ...	39

SOUTHERN DEPOT

Night Soil Collection and Cesspool Cleansing, Etc.,

Total hours worked ... ..	5,530 $\frac{1}{2}$
Absence due to sickness, holidays etc.	268
Mileage covered ... ..	13,937
Petrol consumed ... ..	1,719
Average miles per gallon ... ..	8.108

SECTION C (Cont.)

SOUTHERN DEPOT (Cont.)

Details of Work Carried Out.

Number of pails cleansed ... ..	38,159
Number of privies cleansed.. ...	1,140
Number of cesspools cleansed ...	253
Number of visits to trade premises	17

NORTHERN DEPOT REFUSE COLLECTION

Total hours worked ... ..	10,872
Absence due to sickness & holidays	1,088
Mileage covered ... ..	9,903
Petrol consumed ... ..	1,263
Average miles per gallon ... ..	7.084

Details of Work Carried Out.

Number of properties cleansed ...	81,678
Number of bins cleansed ... ..	95,689
In addition ten loads of street sweepings have been removed, and 6 $\frac{1}{8}$ loads of trade refuse.	

SOUTHERN AREA REFUSE COLLECTION.

Total hours worked ... ..	9,122 $\frac{3}{4}$
Absence due to sickness & holidays	815
Mileage covered ... ..	7,857
Petrol consumed ... ..	976
Average miles per gallon ... ..	8.050

Details of Work Carried Out.

Number of properties cleansed ...	61,159
Number of bins cleansed ... ..	76,093

During the year difficulty has been experienced in maintaining these services due to sickness, and within the near future additional labour will be required to allow for this and for the increased number of properties to be scavenged.

SECTION D.

HOUSING 1954.

PROVISION OF HOUSES BY PRIVATE DEVELOPMENT.

During the year twenty-eight houses were completed by private developers.

Eight applications for Improvements with grant aid under the Housing Acts, 1949 & 1954 were approved.

HOUSING INSPECTIONS AND REPRESENTATIONS.

During the year a total of 540 houses were inspected, of which eleven were Represented and Undertakings accepted, and there was one Represented and a Demolition Order made.

## SECTION E

All shops and bakehouses where food is sold or prepared for sale have been regularly inspected. Where defects have been found they have been promptly remedied by the person responsible and no Statutory Notices have been necessary.

Seven hundred and four pounds of miscellaneous food were found to be unfit for human consumption.

In addition to this food, carcasses of animals as set out in the following Table were dealt with as shown.

### CARCASES INSPECTED AND CONDEMNED DURING 1954.

	Cattle Excluding Cows	Cows.	Calves.	Sheep and Lambs.	Pigs.
Number killed.	478	32	53	1650	305
Number inspected.	478	32	53	1650	305
<u>All Diseases Except T.B.</u>					
Whole carcasses condemned.	Nil	Nil	Nil	$\frac{1}{2}$ carcase (severe bruising)	Nil
Carcasses of which some part or organ was condemned.	28	7	Nil	30	Nil
Percentage of the number inspected affected with disease other than T.B.	5.85%	21.87%	Nil	1.82%	Nil
<u>Tuberculosis Only.</u>					
Whole carcasses condemned.	Nil	2	Nil	1	Nil
Carcasses of which some part or organ was condemned.	29	7	Nil	1	8
Percentage of the number inspected affected with Tuberculosis.	6.06%	28.1%	Nil	.12%	2.6%

## M I L K

Dairies and premises of Retail Purveyors have been regularly visited and in all cases found satisfactory. Cases of Brucella Abortus in the milk have been promptly followed up, heat treatment for the milk arranged and the farmer and his employees instructed to boil all milk before use.



## SECTION F

### PREVALENCE OF AND CONTROL OVER INFECTIOUS AND OTHER DISEASES

#### (1) GENERAL

There was a mild outbreak of Whooping Cough during the year. A total of 32 cases were notified, 15 of which were in the Old Bradwell Area, 5 in Great Linford, 4 at Haversham and the remainder spread throughout the district. No Measles were notified as against 229 cases the previous year. Three cases of Food Poisoning notified were mild and were traced to a recooked meat pie.

#### (2) NOTIFICATIONS

Whooping Cough .....	32
Scarlet Fever.....	14
Food Poisoning.....	3
Salmonella Infection....	2

#### (3) TUBERCULOSIS

Five cases were notified during the year of which four were pulmonary and one non-pulmonary. There was one death from this disease during the year.

SECTION G

FACTORIES ACTS, 1937 & 1948

1. INSPECTIONS (including Inspections made by Sanitary Inspectors)

Premises	No. on Register.	Number of: Inspections	Written Notices:
1. Factories under Local Authority control	59	122	3
2. Factories under Local Authority control for Sec. 7. only.	69	138	3
3. Other premises (excluding outworkers)	16	32	
TOTAL	144	292	6

2. DEFECTS FOUND

Particulars	Found	Remedied	Referred by H.M. Inspector.
Want of cleanliness.	Nil	Nil	Nil
Overcrowding	Nil	Nil	Nil
Unreasonable temperature	Nil	Nil	Nil
Inadequate ventilation	1	1	Nil
Ineffective drainage of floors	Nil	Nil	Nil
Sanitary Conveniences:			
(a) Insufficient	Nil	Nil	Nil
(b) Unsuitable or defective	1	1	Nil
(c) Not separate for sexes	Nil	3	Nil
Other offences against the Act (not including offences relating to Outwork	4	3	Nil
TOTAL	6	5	Nil

3. PROSECUTIONS - Nil

4. OUTWORKERS (Sections 110 & 111)

Number of outworkers making wearing apparel. 2.  
 Number of outworkers making Lace, Lace Curtains and nets. 2.

TOTAL 4.

"DANIEL H. WALDRON"  
 (16) Medical Officer of Health.